

GmateTM On

Blood Glucose Monitoring System



Gmate™ On



Gmate™ On

Blood Glucose Monitoring System

Minimized Size, Maximized Performance

The Gmate On meter is even smaller than your credit card.



Power indicator

The light is on when the test is ready

Test Strip Port

Insert Gmate Strip into the test strip port to begin a blood glucose test

Phone Plug

Insert into USB port of Android smartphone



Audio Guidance



No Battery



SMS or Email Available



Provide Statistic Data

Gmate™ On

Blood Glucose Monitoring System



How Gmate™ On Works



Launch Application



Insert Gmate On Meter



Insert Test Strip



Apply Sample



Access Most Detailed Result Log

Specification

Model	PG-110 (Gmate™ On) Blood Glucose Monitoring System
Test Method	Electrochemical sensor
Calibration Method	Plasma Equivalent
Sample	Capillary Whole Blood
Sample Volume	0.5 μ l
Test Time	5 seconds
Memory	500 Blood glucose test results with time and date
Result Range	10-600mg/dl (1.1-33.3mmol/L)
Hematocrit Range	20-60%
Operation Temperature	10-40°C (50-104°F)
Operation Humidity	10-90% (RH)
Altitude	Up to 3,048 meters (10,000 feet)
Power Source	From Smart phone
Size	41.5 x 33.6 x 9.0 mm (1.63 x 1.32 x 0.35 inch)
Weight	5.9g (0.21 oz)

HQ & 1st Factory

28-5, Gwangwol-gil, Okgu-eup, Gunsan-si, Jeollabuk-do, Korea (Postal code : 54172)

R&D Center

803, Innovalley C-dong, 253, Pangyo-ro, Bundang-gu, Seoungnam-si, Gyeonggi-do, Korea (Postal Code : 13486)

T +82-2-553-1421

F +82-2-553-1423

E information@philosys.com

W www.philosys.com